



# THE 1<sup>ST</sup> FULLY ALUMINIUM SECURITY DOOR

Alutech Door®
The 1st Fully Aluminium Security Door System



## COMPANY 1

#### **Vision & Mission**

- Vision: Become the leader in Southeast Asia Smart Security Home Products Industry
- Mission: Improve people's quality of life through design and R&D

#### **Brand Promise**

- Provide WOW experience to every customer
- Bring unique design & innovation to every customer
- Deliver the premium quality products with professional service

#### **Experience And Reliable**

- Trusted brand since 2004-Recognized brand across South-East Asia
- Developed the first trackless folding gate system in Malaysia since 2009
- Two dedicated productions team to serve local and overseas clients need

### SERVICE



#### **Meeting Your Demands**

- Provide service to customer 7 days a week\*
- Internal customer service department
- Well trained installation team
- On-site service team support

#### **PRODUCT**



#### Timeless Solutions

- Export quality gate products
- Recognized by Malaysia Book of Record Longest Trackless Folding Autogate 2020
- Patented trackless folding autogate since 2009
- Certificate of 50,000 duralibity cycle test
- In-house powder-coated oven to ensure product quality
- On-site gate design visualise with DELUX Apps
- Made in Malaysia







SOBA Best Brand Gold Award 2021











The 3rd Asia Pacific Sup Excellent Brand 2007















### WHY CHOOSE DELUX' SECURITY DOOR

#### **DELUX**



3mm Extrusion Reinforced Aluminium Frame 3x stronger than any other brands available in the market.

Anti-prying and anti-burglary design ensures total peace of mind.

#### VS



OTHER BRANDS


Mild Steel Frame
Mild steel frame with only 0.8mm thickness and with joining
that may compromise structural integrity.



Rust Free
Rust Free and corrosion free proven to last longer.



Not Fully Rust Resistant Rust may appear after a few years of usage.



100% Free From Cardboard Material
Solid high-grade aluminium construction with top quality
assurance and proven durability.



Substandard Cardboard Material Inner core constructed from particleboard or hollow-core material such as corrugated cardboard.



100% Anti-Termite
Completely protected from termite infestation and damages.



Not Anti-Termite

Need to take various precautionary measures to prevent termite damage.















**DELUX** 



Fully Aluminium
Solid high quality aluminium construction with premium powder coated matt finishing.





Not Aluminium Integrated with other materials such as mild steel hardboard.



Durable Heavy Duty Hinges
Utilise heavy-duty stainless steel bearing hinges for extra strength and durability in the long run.



Mild Hinges Utilise mild steel hinges which may compromise security.



Advanced 2-IN-1 Lock System
Engineered for top security with exclusive Quick Unlock
Mechanism for keyless emergency exit.



Conventional Lock System

Overly simple or complicated lock mechanism may compromise security especially during emergency.



Alubotic System

No welding finishing comes with signature anti-break in clamping system.





No Anti-Break in System Finished with spot welding and silicone.



		PREMIUM SERIES	CLASSIC SERIES
1.	Aluminium door leaf	3mm	2mm
2.	Anti-pin bar	3mm	2mm
3.	Door frame	Elegance 3D 3mm aluminium	Modern flat 2mm aluminium
4.	Heavy duty hinges	4 pcs	3 рсѕ
5.	Solid stainless steel lock	14 pcs	7 pcs
6.	Fast lock system	✓	×
7.	Perforated sheet	✓	✓
8,	Inner small door	<i>¥</i>	/
9.	Anti burglary prying nail	✓	/
10,	Alubotic anti break-in system (outer)	✓	V.









# LUXURY, TECHNOLOGY & SECURITY COMES TOGETHER

The combination of precision technology and security that comes with minimalistic elegance design. Keep yourselves hassle-free with the keyless digital lock, opening a door will never be the same again.



Mobile App



**Fingerprint** 



RFID Card



**Password** 



Fast Lock




Control with 14 locks



Rechargeable Battery










# ENGINEERED FOR HOME SECURITY

With our revolutionary Alubotic technologies, the security door is designed to provide breakthrough performance. DELUX has consistently aimed to provide the home security in optimum standard and quality. We have produced our security door with thicker reinforced frame structure and the most quantity of locks that you can find nowhere in the market. The all-in-one design of perforated sheet in the security door creates perfect harmony between safety and home architecture while ensuring good air ventilation.


#### T5 Architectural Grade Aluminium

This material is widely used in building construction and shipping cargo. Thus, it is an ideal material for high durability and sturdy security door structure.



#### Alubotic System

Our signature anti break-in clamping system provides better finishing and security.



#### T5 Architectural Grade Aluminium Perforated Sheet

A new approach and perfect combination of mosquito mesh and grill. It's proven to be extra safe while allowing natural sunlight and better air ventilation into the house.




#### 3mm Extrusion Reinforced Aluminium Frame

Anti-prying and anti-burglary designs with 3X stronger support from inner of the frame to sustain out force attack.



#### 14 Solid Stainless Steel Locks

Experience lock and unlock 14 solid stainless steel lock with fluid and fast pace with a twist.





#### **BUILD YOUR OWN**

Mix and match your ideal security door through our website application.

#### FRAME COLOUR













#### **DESIGN PANEL COLOUR**




















\*only exclusive for design DT607, DT703, DT704, DT705



Note: The colours shown are print representations and should only be used as a guide when browsing this catalogue. Final selection and confirmation must be made from actual products.









**DT204** FRAME DESIGN PANEL PERFORATED SHEET

3'x7' 13.5'x7'

3'x8' 1 3.5'x8'

3'x9' 1 3.5'x9'



5'x7'

5'x8'

5'x9'



6'x7'

6'x8'

6'x9'





3'x7' | 3.5'x7'

3'x8' | 3.5'x8'

3'x9' 1 3.5'x9'



5'x7'

5'x8'

5'x9'



6'x7'

6'x8'

6'x9'



DT502







PERFORATED SHEET





3'x7' | 3.5'x7'

3'x8' | 3.5'x8'

3'x9' | 3.5'x9'



3'x7' 13.5'x7'

3'x8' | 3.5'x8'

3'x9' 13.5'x9'



5'x7'

5'x8'

5'x9'



5'x7'

5'x8'

5'x9'



6'x7'

6'x8'

6'x9'



6'x7'

6'x8'

6'x9'





DT601

FRAME

DESIGN PANEL PERFORATED SHEET

WITH SMALL DOOR



DT602

FRAME

DESIGN PANEL PERFORATED SHEET

WITH SMALL DOOR

















3'x7' 1 3.5'x7' 3'x8' 1 3.5'x8' 3'x9' 1 3.5'x9' 4'x7' 4'x8' 4'x9'



5'x7' 5'x8' 5'x9'



6'x7' 6'x8' 6'x9' 8'x8' 8'x9'



3'x7' | 3.5'x7' 3'x8' | 3.5'x8' 3'x9' | 3.5'x9' 4'x7' 4'x8' 4'x9'



5'x7' 5'x8' 5'x9'



6'x7' 6'x8' 6'x9' 8'x8' 8'x9'





DT603



DESIGN PANEL PERFORATED SHEET

DT604

FRAME

DESIGN PANEL PERFORATED SHEET

WITH SMALL DOOR

















3'x7' | 3.5'x7' 3'x8' | 3.5'x8' 3'x9' | 3.5'x9'





3'x7' 1 3.5'x7' 3'x8' | 3.5'x8' 3'x9' 1 3.5'x9'



5'x7' 5'x8' 5'x9'



6'x7' 6'x8' 6'x9'



5'x7' 5'x8' 5'x9'







DT605



DESIGN PANEL PERFORATED SHEET

WITH SMALL DOOR

DT606



DESIGN PANEL PERFORATED SHEET SMALL DOOR



















3'x7' 1 3.5'x7' 3'x8' | 3.5'x8' 3'x9' | 3.5'x9'



5'x7' 5'x8' 5'x9'



6'x7' 6'x8' 6'x9'



3'x7' | 3.5'x7' 3'x8' | 3.5'x8' 3'x9' | 3.5'x9'



5'x7' 5'x8' 5'x9'





DT607

FRAME

DESIGN PANEL PERFORATED SHEET

WITH SMALL DOOR

DT608

FRAME

DESIGN PANEL PERFORATED SHEET

WITH SMALL DOOR















3'x7' | 3.5'x7' 3'x8' | 3.5'x8'

3'x9' | 3.5'x9'

3'x7' 13.5'x7'

3'x8' | 3.5'x8'

3'x9' 13.5'x9'



5'x7'

5'x8'

5'x9'



5'x7'

5'x8'

5'x9'



6'x7'

6'x8'

6'x9'



6'x7'

6'x8'

6'x9'





DT609

FRAME

DESIGN PANEL PERFORATED SHEET

WITH SMALL DOOR









DT611

FRAME

UC301 tistry Black

DC001

DESIGN PANEL PERFORATED SHEET

3'x7' 1 3.5'x7' 3'x8' | 3.5'x8' 3'x9' | 3.5'x9'



5'x7' 5'x8' 5'x9'



6'x7' 6'x8' 6'x9'



3'x7' | 3.5'x7' 3'x8' | 3.5'x8' 3'x9' | 3.5'x9' 4'x7' 4'x8' 4'x9'



5'x7' 5'x8' 5'x9'



6'x7' 6'x8' 6'x9' 8'x8' 8'x9'



DT612

FRAME

DESIGN PANEL





**DT703** 




DESIGN PANEL PERFORATED SHEET




WITH SMALL DOOR

4'x7' 4'x8' 4'x9'









3'x7' | 3.5'x7' 3'x8' | 3.5'x8' 3'x9' | 3.5'x9'



5'x7' 5'x8' 5'x9'







DT704

FRAME

DESIGN PANEL PERFORATED SHEET

WITH SMALL DOOR



**DT705** 

FRAME

DESIGN PANEL PERFORATED SHEET

WITH SMALL DOOR



















3'x7' 13.5'x7' 3'x8' | 3.5'x8' 3'x9' | 3.5'x9'



3'x7' 1 3.5'x7' 3'x8' | 3.5'x8'

3'x9' | 3.5'x9'



5'x7' 5'x8' 5'x9'



5'x7' 5'x8'

5'x9'



6'x7' 6'x8'

6'x9'









3'x7' | 3.5'x7' 3'x8' | 3.5'x8' 3'x9' | 3.5'x9' 4'x7' 4'x8' 4'x9'




5'x7' 5'x8' 5'x9'



6'x7' 6'x8' 6'x9' 8'x8'





# **CLASSIC** SECURITY DOOR WITH SMALL DOOR **DT903 DT904** FRAME DESIGN PANEL PERFORATED SHEET WITH SMALL DOOR FRAME DESIGN PANEL PERFORATED SHEET UC323 Dark Gree 2'8"x7' 13'x7' 2'8"x7' | 3'x7' 2'8"x8' | 3'x8' 2'8"x8' | 3'x8' 4'8"x7' 4'8"x7' 4'8"x8' 4'8"x8' 6'x7' 6'x7' 6'x8' 6'x8'

#### **CLASSIC SECURITY DOOR**









4'8"x7' 4'8"x8'



6'x7' 6'x8'




#### WALL OPENING MEASUREMENT



Door Size	Width	Height
3' x 7'	401/8" (1019mm)	891/8" (2264mm)
3.5' x 7'	441/2" (1129mm)	891/8" (2264mm)
4' x 7'	542/8" (1378mm)	891/8" (2264mm)
5' x 7'	626/8" (1593mm)	891/8" (2264mm)
6' x 7'	781/2" (1993mm)	891/8" (2264mm)
3′ x 8′	401/8" (1019mm)	991/8" (2519mm)
3.5′ x 8′	441/2" (1129mm)	991/8" (2519mm)
4' x 8'	542/8" (1378mm)	991/8" (2519mm)
5' x 8'	626/8" (1593mm)	991/8" (2519mm)
6' x 8'	781/2" (1993mm)	991/8" (2519mm)
3' x 9'	401/8" (1019mm)	1091/8" (2772mm)
3.5' x 9'	441/2" (1129mm)	1091/8" (2772mm)
4' x 9'	542/8" (1378mm)	1091/8" (2772mm)
5' x 9'	626/8" (1593mm)	1091/8" (2772mm)
6' x 9'	781/2" (1993mm)	1091/8" (2772mm)
8' x 8'	96" (2438mm)	991/8" (2519mm)
8' x 9'	96" (2438mm)	1091/8" (2772mm)

#### **CLASSIC** SECURITY DOOR

#### WALL OPENING MEASUREMENT



Door Size	Width	Height
2′8″ x 7′	377/8" (962mm)	881/8" (2238mm)
3' x 7'	432/8" (1098mm)	881/8" (2238mm)
2′8″ x 8′	377/8" (962mm)	981/8" (2492mm)
3' x 8'	432/8" (1098mm)	981/8" (2492mm)
4'8" x 7'	613/8" (1559mm)	881/8" (2238mm)
4'8" x 8'	613/8" (1559mm)	981/8" (2492mm)
6' x 7'	767/8" (1953mm)	881/8" (2238mm)
6' x 8'	767/8" (1953mm)	981/8" (2492mm)

#### REMARK:

MEASUREMENT FOR CLASSIC SECURITY DOOR ONLY (DT901, DT902B, DT902E, DT903, DT904)



Authorised Dealer



